

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0

0	TSO	DB		SUGGESTED
0	LINE	CODE	DESCRIPTION	RETAIL
0			PRICE LEVEL INFORMATION	
0	01	PRL-23M	M2 PRL-23M (EFF:1/21/20)	
0			BASE MODEL	
0	02	001-172	M2 106 CONVENTIONAL CHASSIS	103,510.00
	03	004-223	2023 MODEL YEAR SPECIFIED	N/C
	04	995-091	MEDIUM TRUCK WARRANTY	STD
	05	002-004	SET BACK AXLE - TRUCK	STD
	06	019-001	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	1,027.00
	07	003-001	LH PRIMARY STEERING LOCATION	STD

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0			ENGINE	
0	08	101-3BN	CUM L9 300 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM	11,662.00
	09	99C-021	2010 EPA/CARB/GHG21 CONFIGURATION	N/C
	10	99X-022	OBD 2022	N/C
	11	99Z-006	VEHICLE IS SUBJECT TO EPA GHG21	N/C
	12	99D-010	NO 2008 CARB EMISSION CERTIFICATION	N/C
	13	055-998	NO INTERIOR CONVENIENCE PACKAGE	STD
	14	9EE-004	J1939 ELECTRICAL ARCHITECTURE	N/C
	15	992-001	50 STATE EMISSIONS CERTIFICATION	N/C
	16	28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUN TED REGENERATION REQUEST SWITCH	STD
	17	79A-070	70 MPH ROAD SPEED LIMIT	N/C
	18	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT	N/C
	19	79C-998	NO DRIVER FUEL ECONOMY INCENTIVE	N/C
	20	79D-998	NO PROGRESSIVE SHIFTING	N/C
	21	79E-998	NO LOW RANGE TORQUE PROTECT	N/C
	22	79F-998	NO FLEET MANAGEMENT	N/C
	23	79G-998	NO IDLE SHUTDOWN CONFIGURATION	N/C
	24	79J-998	NO PTO SHUTDOWN CONFIGURATION	N/C
	25	79K-006	PTO MODE ENGINE RPM LIMIT - 1000 RPM	N/C
	26	79L-998	PTO MODE THROTTLE OVERRIDE DISABLED	N/C
	27	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED	N/C
	28	79N-998	NO PTO MODE CLUTCH OVERRIDE	N/C
	29	79P-005	PTO RPM WITH CRUISE SET SWITCH - 1000 RP M	N/C
	30	79Q-005	PTO RPM WITH CRUISE RESUME SWITCH - 1000 RPM	N/C
	31	79R-998	NO PTO MODE COOLING FAN	N/C
	32	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH	N/C
	33	79T-998	NO PTO MODE RPM INCREMENT	N/C
	34	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC OND	N/C
	35	79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TE MPERATURES ONLY	N/C
	36	79W-998	NO PTO MODE ENGINE SPEED CONTROL	N/C
	37	79X-998	NO PTO 1 SET SPEED	N/C
	38	79Y-998	NO PTO 2 SET SPEED	N/C
	39	79Z-998	NO PTO 3 SET SPEED	N/C
	40	80A-998	NO ALTERNATE ROAD SPEED LIMIT	N/C
	41	87W-998	NO PTO MODE ENG RPM LIMIT, PTO 2	N/C
	42	87X-998	NO PTO MODE ENG RPM LIMIT, PTO 3	N/C
	43	87Y-998	NO PTO MODE ENG RPM LIMIT, PTOEM	N/C

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	44	87Z-998	NO PTO MODE ENG RPM LIMIT, REMOTE	N/C
	45	88X-998	NO PTO 1 REMOTE SET SPEED	N/C
	46	88Y-998	NO PTO 2 REMOTE SET SPEED	N/C
	47	88Z-998	NO PTO 3 REMOTE SET SPEED	N/C
	48	80B-998	NO CHECK ENGINE LIGHT ON OVERSPEED	N/C
	49	80C-998	NO ENGINE BRAKE WITH CRUISE CONTROL	N/C
	50	80D-998	NO SOFT CRUISE CONTROL	N/C
	51	80E-998	NO ENGINE FAN WITH RETARDER	N/C
	52	80F-998	NO MAINTENANCE MONITOR	N/C
	53	80G-002	PTO MINIMUM RPM - 700	N/C
	54	80S-998	NO PTO 1 CONTROLS	STD
	55	80T-998	NO PTO 2 CONTROLS	STD
	56	80U-998	NO PTO 3 CONTROLS	N/C
	57	80V-998	NO ENGINE MOUNT PTO CONTROLS	N/C
	58	85P-998	NO REAR PTO TRANSMISSION RANGE	N/C
	59	85K-998	NO PTO 1 J1939 CONTROL	N/C
	60	85L-998	NO PTO 2 J1939 CONTROL	N/C
	61	85M-998	NO PTO 3 J1939 CONTROL	N/C
	62	85N-998	NO ENGINE MOUNT PTO J1939 CONTROL	N/C
	63	80H-998	NO ACCELERATION MANAGEMENT	N/C
	64	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH	N/C
	65	80R-998	NO DRIVETRAIN TORQUE PROTECTION	N/C
	66	80Y-998	NO CRUISE CONT-UPPER/LOWER LIMITS	N/C
	67	84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	68	84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	69	84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	70	84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	71	84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	72	84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	73	84M-998	TCU-PUMP MODE OPTION NOT CONFIGURED	N/C
	74	84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED	N/C
	75	85B-998	TCU-RANGE INDICATION NOT CONFIGURED	N/C
	76	85E-998	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED	N/C

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	77	85F-998	TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED	N/C
	78	85G-998	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED	N/C
	79	85H-998	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION NOT CONFIGURED	N/C
0			ENGINE EQUIPMENT	
0	80	13E-005	OIL PAN FOR AWD AND AWD CONVERSIONS	607.00
	81	105-001	ENGINE MOUNTED OIL CHECK AND FILL	N/C
	82	104-998	NO ENGINE OIL DRAIN/SAMPLE	N/C
	83	133-004	ONE PIECE VALVE COVER	N/C
	84	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER	STD
	85	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	STD
	86	292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	13.00
	87	290-017	BATTERY BOX FRAME MOUNTED	STD
	88	281-001	STANDARD BATTERY JUMPERS	N/C
	89	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB	N/C
	90	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN	N/C
	91	289-001	NON-POLISHED BATTERY BOX COVER	STD
	92	33M-998	NO AUXILIARY POWER DISTRIBUTION MANAGEMENT	STD
	93	293-998	NO BATTERY SHUTOFF SWITCH	N/C
	94	295-998	NO JUMPSTART POST	N/C
	95	180-998	NO CLUTCH	N/C
	96	183-998	NO CLUTCH BRAKE	N/C
	97	181-998	NO CLUTCH RELEASE BEARING LUBE	N/C
	98	182-998	NO CLUTCH RELEASE	N/C
	99	107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE	N/C
100	108-002		STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR	N/C
101	131-013		AIR COMPRESSOR DISCHARGE LINE	N/C
102	152-041		ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	STD
103	128-076		CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	N/C
104	016-1C2		RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	823.00
105	239-038		11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT	N/C

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	106	233-998	NO EXHAUST BRIGHTWORK (PLAIN)	N/C
	107	237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUNDED FROM STEP	N/C
	108	23U-001	6 GALLON DIESEL EXHAUST FLUID TANK	N/C
	109	43W-001	STANDARD DIESEL EXHAUST FLUID SYSTEM COOLANT PLUMBING	N/C
	110	30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL	STD
	111	23Z-998	NO DIESEL EXHAUST FLUID TANK COVER	N/C
	112	43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION	N/C
	113	23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING	N/C
	114	43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP	N/C
	115	242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)	N/C
	116	240-998	NO OPTIONAL EXHAUST UPGRADE	N/C
	117	273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE	N/C
	118	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED	N/C
	119	110-003	CUMMINS SPIN ON FUEL FILTER	N/C
	120	118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER	N/C
	121	120-998	NO COOLANT FILTER	N/C
	122	266-013	1100 SQUARE INCH ALUMINUM RADIATOR	N/C
	123	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT	STD
	124	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT	N/C
	125	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES	STD
	126	270-016	RADIATOR DRAIN VALVE	N/C
	127	168-002	LOWER RADIATOR GUARD	STD
	128	360-998	NO FRONT ENGINE PTO	N/C
	129	361-998	NO REAR ENGINE PTO	N/C
	130	138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	92.00
	131	141-998	NO COOLANT HEATER - GAS/DSL	N/C
	132	166-998	NO OIL PREHEATER	N/C
	133	140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR	N/C
	134	134-001	ALUMINUM FLYWHEEL HOUSING	STD
	135	132-004	ELECTRIC GRID AIR INTAKE WARMER	N/C
	136	155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	N/C

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0		TRANSMISSION & EQUIPMENT		
0	137	342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	6,785.00
	138	352-998	NO AUXILIARY TRANSMISSION	N/C
	139	343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV	N/C
	140	84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES	N/C
	141	84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	N/C
	142	84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	N/C
	143	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN	N/C
	144	345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED	N/C
	145	97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013	N/C
	146	348-998	NO TRANSMISSION ACCESSORIES	N/C
	147	347-998	NO CLUTCH HOUSING MATERIAL	N/C
	148	370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	STD
	149	346-013	TRANSMISSION OIL CHECK AND FILL WITH CROSSOVER TO CLEAR LH PTO AND DIRECT MOUNT PUMP	63.00
	150	368-998	NO EXTERNAL TRANSMISSION OIL FILTER	N/C
	151	84T-000	DISABLE - NEUTRAL RANGE ASSIST	N/C
	152	84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES	N/C
	153	84V-998	TCU-DIRECTION CHNG,NOT CONFIGURED	N/C
	154	84W-001	AUXILIARY FUNCTION RANGE INHIBIT WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS	N/C
	155	85D-001	SINGLE INPUT AUTOMATIC NEUTRAL WITH SELECTOR OVERRIDE WITH MULTIPLEXED PARK BRAKE - ALLISON 5TH GEN TRANSMISSIONS	N/C
	156	353-066	VEHICLE INTERFACE WIRING CONNECTOR WITH BLUNT CUTS, AT END OF FRAME	62.00
	157	34C-002	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR MOUNTED BACK OF CAB	76.00
	158	362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO	N/C
	159	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ON ALLISON	N/C

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	160	375-008	MERITOR MTC-4210 AND MTC-4213 TRANSFER CASE OIL COOLER WITH PDI INSTALLED COOLER FAN	972.00
	161	377-998	NO POWER DIVIDER	STD
	162	373-047	MERITOR MTC 4210XL-EC 2-SPEED TRANSFER CASE	10,945.00
	163	376-001	TRANSFER CASE SHIFT CONTROLS WITH TRANSFER CASE PTO ON/OFF SWITCH WHEN APPLICABLE	N/C
	164	371-998	NO AUX TRANS/TRANSFER CASE MTD POWER TAKEOFF	N/C
	165	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)	N/C
	166	385-998	NO MAIN DRIVELINE HARDWARE	STD
0			FRONT AXLE, SUSPENSION & EQUIPMENT	
0	167	400-105	MX-14-120-EVO 14,000# 1790MM KPI SINGLE FRONT DRIVE AXLE	18,344.00
	168	398-557	5.57 FRONT AXLE RATIO	N/C
	169	389-079	MXL 16T MERITOR EXTENDED LUBE FRONT STEERING AXLE DRIVELINE WITH HALF ROUND YOKE S	N/C
	170	402-087	MERITOR 16.5X5 Q+ MX DRIVE AXLE CAST SPINDER HEAVY DUTY CAM FRONT BRAKES	N/C
	171	403-002	NON-ASBESTOS FRONT BRAKE LINING	STD
	172	419-015	MERITOR CAST IRON FRONT BRAKE DRUMS	N/C
	173	427-001	FRONT BRAKE DUST SHIELDS	N/C
	174	409-006	FRONT OIL SEALS	STD
	175	408-998	NO FRONT HUB CAPS	N/C
	176	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES	STD
	177	404-012	FRONT BRAKE CHAMBERS - MGM LONGSTROKE	N/C
	178	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	STD
	179	536-012	TRW TAS-85 POWER STEERING	N/C
	180	537-005	STEEL STEERING SHAFT	N/C
	181	539-003	POWER STEERING PUMP	STD
	182	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR	STD
	183	533-998	NO POWER STEERING OIL COOLER	STD
	184	40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE	17.00
	185	620-010	14,600# TAPERLEAF FRONT SUSPENSION	524.00
	186	619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION	STD
	187	62G-998	NO FRONT SUSPENSION OPTIONS	N/C
	188	62H-998	NO FRONT SUSPENSION SPRING BRACKET OPTIONS	STD
	189	629-998	NO FRONT SWAYBAR	STD

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	190	410-001	FRONT SHOCK ABSORBERS	STD
0			REAR AXLE, SUSPENSION & EQUIPMENT	
0	191	420-1N0	MS-21-14X 21,000# R-SERIES SINGLE REAR AXLE	234.00
	192	421-557	5.57 REAR AXLE RATIO	N/C
	193	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING	STD
	194	382-073	MXL 17T MERITOR EXTENDED LUBE INTERTRANS MISSION DRIVELINE WITH HALF ROUND YOKES	N/C
	195	386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVE LINE WITH HALF ROUND YOKES	STD
	196	388-998	NO INTERAXLE (#3) DRIVELINE	N/C
	197	393-998	NO DRIVELINE GUARD	N/C
	198	452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE	734.00
	199	878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE	N/C
	200	87A-998	NO INTERAXLE LOCK WIRING/LOGIC	N/C
	201	87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH	N/C
	202	423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	N/C
	203	433-002	NON-ASBESTOS REAR BRAKE LINING	STD
	204	434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)	N/C
	205	451-023	CONMET CAST IRON REAR BRAKE DRUMS	43.00
	206	425-998	NO REAR BRAKE DUST SHIELDS	N/C
	207	440-006	REAR OIL SEALS	STD
	208	435-998	NO DRIVELINE PARKING BRAKE	STD
	209	426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS	STD
	210	428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS	N/C
	211	876-998	NO AIR PP/ELECT AXLE SHIFT,CAB	N/C
	212	87C-998	NO DRIVE/SHIFT AXLE WIRING/LOGIC	N/C
	213	898-998	NO AIR PP/ELECT-AXLE SHIFT,CHAS	N/C
	214	41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE	N/C
	215	622-1FX	23,000# AWD MULTI-LEAF SPRING REAR SUSPENSION	-1,527.00
	216	034-998	NO REAR SUSPENSION PACKAGE	N/C
	217	621-001	SPRING SUSPENSION - NO AXLE SPACERS	N/C
	218	431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP	STD
	219	624-998	NO AXLE SPACING	N/C
	220	628-998	NO SUSPENSION BEAMS	N/C
	221	888-998	NO DUMP VALVE/SWITCH FOR AIR SUSPENSION	N/C

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

0VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	222	87D-998	NO REAR AIR SUSPENSION VALVE WIRING/ LOGIC	N/C
	223	910-998	NO REAR CHASSIS SUSPENSION AIR PIPING	N/C
	224	623-998	SUSPENSION CONTROL RODS - NONE	N/C
	225	630-998	NO REAR SUSPENSION STABILIZER	N/C
	226	439-998	NO REAR SHOCK ABSORBERS	N/C
	227	035-998	NO DEAD AXLE PACKAGE	STD
	228	443-998	NO PUSHER OR TAG AXLE	STD
	229	456-998	NO PUSHER/TAG BRAKES	STD
	230	457-998	NO BRAKE LINING-PUSHER/TAG(SCO)	STD
	231	448-998	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TAG	STD
	232	429-998	NO PUSHER/TAG BRAKE DUST SHIELDS	STD
	233	442-998	NO PUSHER OR TAG OIL SEALS	N/C
	234	444-998	NO PUSHER OR TAG HUB CAPS	N/C
	235	445-998	NO PUSHER OR TAG BRAKE CHAMBERS	STD
	236	458-998	NO PUSHER/TAG SLACK ADJUSTERS	STD
	237	626-998	NO PUSHER OR TAG SUSPENSION	STD
	238	874-998	NO PUSHER/TAG AXLE LIFT	STD
	239	896-998	NO PLUMBING FOR LIFT AXLE	STD
	240	87F-998	NO LIFT AXLE WIRING/LOGIC	STD
0			BRAKE SYSTEM	
0	241	018-002	AIR BRAKE PACKAGE	STD
	242	490-100	WABCO 4S/4M ABS	STD
	243	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES	STD
	244	46E-001	STANDARD AIR MANAGEMENT UNIT	N/C
	245	904-001	FIBER BRAID PARKING BRAKE HOSE	STD
	246	412-001	STANDARD BRAKE SYSTEM VALVES	N/C
	247	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM	STD
	248	413-002	STD U.S. FRONT BRAKE VALVE	STD
	249	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE	STD
	250	480-086	BW AD-9SI BRAKE LINE AIR DRYER WITH HEAT ER	2.00
	251	483-998	NO AIR SYSTEM OIL FILTER	N/C
	252	479-015	AIR DRYER FRAME MOUNTED	STD
	253	460-1AM	STEEL AIR BRAKE RESERVOIRS MOUNTED INSID E RAIL; CUSTOMER ACCEPTS TANKS MOUNTED I N REAR OVERHANG/REAR SUSPENSION	23.00
	254	46A-998	NO AUXILIARY AIR TANK	STD
	255	607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FR ONT REAR SUSPENSION BRACKET BOTH RAILS O UTBOARD	218.00
	256	477-004	PULL CABLES ON ALL AIR RESERVOIR(S)	3.00

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	257	485-998	NO EXTERNAL CHARGING GLADHAND	N/C
	258	481-998	NO TRAILER AIR HOSE	STD
	259	476-998	NO AIR HOSE HANGER	STD
	260	914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS	N/C
	261	919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM	STD
	262	484-998	NO TRAILER CABLE AND GLAD HANDS STORAGE	STD
	263	296-027	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE	59.00
	264	297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	N/C
	265	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT	STD
	266	32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT	STD
	267	87P-001	CAB AUXILIARY POWER CABLE	N/C
	268	308-998	NO SUPPLEMENTAL TRAILER CABLE WIRING	STD
	269	331-998	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS RECEPTACLE	STD
	270	30K-998	NO HIGH CURRENT RECEPTACLE/WIRING	STD
	271	30L-998	NO HIGH CURRENT TRAILER/BODY CABLE	STD
	272	310-998	NO TRAILER ELECTRICAL CABLE	N/C
0			FRAME & WHEELBASE	
0	273	545-482	4825MM (190 INCH) WHEELBASE	N/C
	274	546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	1,031.00
	275	547-998	NO INNER FRAME REINFORCEMENT	STD
	276	548-998	NO OUTER FRAME REINFORCEMENT	N/C
	277	549-998	NO FRONT FRAME EXTENSION	N/C
	278	552-063	2550MM (100 INCH) REAR FRAME OVERHANG	N/C
	279	553-001	SQUARE END OF FRAME	STD
	280	554-998	NO BUMPER/UNDERRIDE GUARD	STD
	281	550-001	FRONT CLOSING CROSSMEMBER	STD
	282	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER	N/C
	283	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION	N/C
	284	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)	STD
	285	560-008	UNDER OR OVERSLUNG CROSSMEMBER	N/C
	286	565-001	STANDARD SUSPENSION CROSSMEMBER	STD
	287	572-001	STANDARD REARMOST CROSSMEMBER	STD
	288	587-998	NO REAR TOWING DEVICE	STD

VEHICLE ID: 3ALDCXFE3PDNX3114
 VEH S/N: NX3114

INVOICE NO. AP0237
 INVOICE DATE..... 05/17/22

0		CHASSIS EQUIPMENT	
0	289	674-998 NO LH OR RH BACK OF CAB ACCESS	N/C
	290	592-998 NO DECK PLATE	STD
	291	556-1AR THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS	370.00
	292	558-001 FRONT TOW HOOKS - FRAME MOUNTED	74.00
	293	574-001 BUMPER MOUNTING FOR SINGLE LICENSE PLATE	STD
	294	642-998 NO BUMPER/FENDER MOUNTED SIGHT RODS	STD
	295	585-998 NO MUDFLAP BRACKETS	STD
	296	590-998 NO REAR MUDFLAPS	STD
	297	586-024 FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS	STD
	298	576-998 NO TIRE CHAINS/HANGER	STD
	299	551-007 GRADE 8 THREADED HEX HEADED FRAME FASTENERS	STD
	300	583-998 NO REAR QUARTER FENDERS	STD
	301	600-998 NO CAB GUARD	STD
	302	604-998 NO TIRE CARRIER	STD
	303	489-998 NO TIRE PRESSURE CONTROL/SENSOR	N/C
	304	794-998 NO JACK OR WHEEL WRENCH PROVISION	STD
	305	795-998 NO TOOLS	STD
	306	605-998 CHASSIS,MISC CUSTOM REQUIREMENTS-NONE	STD
	307	606-387 DRILLING PREP FOR ONE SOURCE PER DRAWING 4047_TC55_TL60, REVISION A, 05/03/2019	104.00
	308	601-998 NO BODY BUILDER DIAGRAMS	STD
	309	970-998 NO BODY TYPE	N/C
0		FIFTH WHEEL & EQUIPMENT	
0	310	578-998 NO FIFTH WHEEL	N/C
	311	577-998 NO FIFTH WHEEL LOCATION	N/C
	312	580-998 NO ADDITIONAL FIFTH WHEEL DRILLINGS	N/C
	313	582-998 NO FIFTH WHEEL LEG HEIGHT	N/C
	314	570-998 NO FIFTH WHEEL MOUNTING	N/C
	315	890-998 NO FIFTH WHEEL PLUMBING	N/C
	316	579-998 NO FIFTH WHEEL RELEASE/INST.	N/C
	317	591-998 NO FIFTH WHEEL ADD-ONS	N/C
0		FUEL TANK(S) & EQUIPMENT	
0	318	206-998 NO RH FUEL TANK	STD
	319	201-998 NO RH AUXILIARY FUEL TANK	STD
	320	204-215 50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	348.00
	321	200-998 NO LH AUXILIARY FUEL TANK	STD
	322	230-998 NO BETWEEN RAIL FUEL TANK	STD
	323	203-998 NO HYDRAULIC OIL TANK	STD

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	324	218-005	RECTANGULAR FUEL TANK(S)	STD
	325	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS	STD
	326	212-007	FUEL TANK(S) FORWARD	STD
	327	11F-998	NO NATURAL GAS VEHICLE FUEL TANK VENT LINE/STACK	STD
	328	231-998	NO FUEL TANK MTG BETWEEN RAILS	STD
	329	232-998	NO ADDITIONAL FUEL PROVIDED	STD
	330	664-001	PLAIN STEP FINISH	STD
	331	207-998	NO FUEL TANK SCREENS	STD
	332	205-001	FUEL TANK CAP(S)	STD
	333	220-998	NO FUEL HEATER	STD
	334	122-1J1	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER	59.00
	335	216-020	EQUIFLO INBOARD FUEL SYSTEM	STD
	336	20E-998	NO AUXILIARY FUEL SUPPLY AND RETURN PORTS	STD
	337	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE	STD
	338	213-998	NO FUEL LINE INSULATION	STD
	339	221-998	NO FUEL COOLER	N/C
0			TIRES	
0	340	093-1RJ	MICHELIN X WORKS Z 315/80R22.5 20 PLY RADIAL FRONT TIRES	474.00
	341	094-2EU	HANKOOK DH06 11R22.5 14 PLY RADIAL REAR TIRES	-824.00
	342	095-998	NO PUSHER/TAG TIRES	STD
	343	510-998	NO SPARE TIRE	STD
	344	508-998	NO ADDITIONAL SPARE TIRE	N/C
	345	527-002	TIRE QTY - FRONT AXLE: 2	N/C
	346	528-004	TIRE QTY - REAR AXLE: 4	N/C
0			HUBS	
0	347	418-015	MERITOR IRON FRONT HUBS	N/C
	348	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS	STD
	349	449-998	NO PUSHER OR TAG HUBS	STD
0			WHEELS	
0	350	502-356	ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB PILOT 5.99 INSET ALUMINUM FRONT WHEELS	482.00
	351	505-1F2	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 2-HAND STEEL DISC REAR WHEELS	STD

VEHICLE ID: 3ALDCXFE3PDNX3114		INVOICE NO. AP0237
VEH S/N: NX3114		INVOICE DATE..... 05/17/22
0	352 509-998	NO PUSHER/TAG DISC WHEELS N/C
	353 511-998	NO SPARE WHEEL N/C
	354 51A-998	NO ADDITIONAL SPARE WHEEL N/C
	355 50T-998	NO FRONT AXLE WHEEL/HUB COVER N/C
	356 50U-998	NO REAR AXLE WHEEL/HUB COVER STD
	357 524-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH FRONT WHEELS STD
	358 525-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH REAR WHEELS N/C
	359 526-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE ELS N/C
	360 52L-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH SPARE WHEEL STD
	361 50W-998	NO RIM/WHEEL TIRE PRESSURE SENSOR N/C
	362 496-011	FRONT WHEEL MOUNTING NUTS N/C
	363 497-011	REAR WHEEL MOUNTING NUTS N/C
	364 495-998	NO PUSHER/TAG WHEEL MOUNTING NUTS N/C
	365 498-009	WHEEL STUDS FOR CUSTOMER INSTALLED HUB P ILOTED DUALED ALUMINUM WHEELS, ALL N/C
0		CAB EXTERIOR
0	366 829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTI ONAL CAB STD
	367 682-998	NO SLEEPER BOX/SLEEPER CAB STD
	368 784-998	NO AIR SHIELD OR BRACKETS N/C
	369 783-998	NO SIDE EXTENDERS STD
	370 782-998	NO FRAME SIDE FAIRINGS STD
	371 650-008	AIR CAB MOUNTING 97.00
	372 705-998	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS STD
	373 648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR ILLE 36.00
	374 754-008	2-1/2 INCH FENDER EXTENSIONS 275.00
	375 678-001	LH AND RH GRAB HANDLES STD
	376 646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE 159.00
	377 65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE 43.00
	378 644-004	FIBERGLASS HOOD STD
	379 690-998	NO NOISE SHIELD-ENG COMPARTMENT STD
	380 727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UND ER LH DECK 82.00
	381 726-001	SINGLE ELECTRIC HORN STD
	382 728-001	SINGLE HORN SHIELD N/C
	383 657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME STD
	384 78G-002	KEY QUANTITY OF 2 N/C
	385 575-001	REAR LICENSE PLATE MOUNT END OF FRAME STD
	386 327-998	NO OTHER LIGHTS STD

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	387	312-079	INTEGRAL HEADLIGHTS WITH CHROME BEZELS; NON-COMPLIANT WITH FMVSS 108 HEADLIGHT H EIGHT REQUIREMENT	69.00
	388	302-047	LED AERODYNAMIC MARKER LIGHTS	34.00
	389	315-998	NO FOG LIGHTS	N/C
	390	311-998	NO DAYTIME RUNNING LIGHTS	STD
	391	316-998	NO SPOTLIGHTS	STD
	392	294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS	153.00
	393	300-015	STANDARD FRONT TURN SIGNAL LAMPS	STD
	394	469-998	NO WORK LIGHT	N/C
	395	318-998	NO UTILITY/ADVERTISING LIGHT	STD
	396	744-1BM	DUAL WEST COAST BRIGHT FINISH HEATED MIR RORS	133.00
	397	797-001	DOOR MOUNTED MIRRORS	STD
	398	796-001	102 INCH EQUIPMENT WIDTH	STD
	399	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MI RRORS MOUNTED UNDER PRIMARY MIRRORS	N/C
	400	74A-998	NO AUXILIARY MIRROR	STD
	401	74B-998	NO AUXILIARY MIRROR	STD
	402	713-998	NO PERMIT PLAQUE	STD
	403	729-001	STANDARD SIDE/REAR REFLECTORS	STD
	404	73A-998	NO REFLECTIVE DEVICES	STD
	405	677-998	NO CAB MOUNTED STEPS	STD
	406	275-998	NO EMERGENCY WARNING SIRENS	STD
	407	764-998	NO EXTERIOR SUN VISOR	STD
	408	768-043	63X14 INCH TINTED REAR WINDOW	STD
	409	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS	STD
	410	654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASS ENGER SWITCHES ON DOOR(S)	218.00
	411	767-998	NO SIDE WINDOW	STD
	412	769-998	NO LOWER DOOR WINDOW	N/C
	413	663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD	STD
	414	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WIT HOUT FLUID LEVEL INDICATOR, FRAME MOUNTE D	STD
	415	647-998	NO WINTERFRONT	STD
0			CAB INTERIOR	
0	416	707-1AK	OPAL GRAY VINYL INTERIOR	N/C
	417	706-013	MOLDED PLASTIC DOOR PANEL	STD
	418	708-013	MOLDED PLASTIC DOOR PANEL	STD
	419	772-006	BLACK MATS WITH SINGLE INSULATION	STD
	420	785-004	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER	5.00
	421	691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING	STD
	422	694-010	IN DASH STORAGE BIN	STD

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	423	696-998	NO REAR FLOOR STORAGE	STD
	424	693-998	NO INTERIOR DOOR STORAGE	STD
	425	826-998	NO LOWER BUNK	N/C
	426	666-998	NO BUNK RESTRAINT	STD
	427	738-998	NO CLOCK	STD
	428	742-007	(2) CUP HOLDERS LH AND RH DASH	STD
	429	680-006	GRAY/CHARCOAL FLAT DASH	STD
	430	860-004	SMART SWITCH EXPANSION MODULE	198.00
	431	716-998	NO WINDSHIELD FAN	N/C
	432	720-998	NO FIRE EXTINGUISHER	STD
	433	71T-998	NO SMOKE/GAS DETECTOR	STD
	434	714-998	NO FIRST AID KIT	STD
	435	700-002	HEATER, DEFROSTER AND AIR CONDITIONER	STD
	436	701-001	STANDARD HVAC DUCTING	STD
	437	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH	STD
	438	689-998	NO AUXILIARY HVAC UNIT	STD
	439	170-015	STANDARD HEATER PLUMBING	STD
	440	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR	STD
	441	702-002	BINARY CONTROL, R-134A	STD
	442	739-033	STANDARD INSULATION	STD
	443	285-027	SOLID-STATE CIRCUIT PROTECTION AND FUSES WITH SPARE FUSE KIT	33.00
	444	96R-002	STANDARD ELECTRICAL PROTECTIVE COATING, GREASE ON BATTERY TERMINALS AND RED ENAMEL PAINT IN ENGINE COMPARTMENT AND ON CHASSIS CONNECTIONS	N/C
	445	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM	STD
	446	324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS	STD
	447	655-005	LH AND RH ELECTRIC DOOR LOCKS	99.00
	448	740-998	NO MATTRESS	STD
	449	284-023	(1) 12 VOLT POWER SUPPLY IN DASH	21.00
	450	67E-998	NO ENTRY/ACCESS/STEP WIRING	N/C
	451	710-998	NO CAB PRIVACY CURTAIN	STD
	452	722-998	NO REFLECTOR/FLARE KIT	STD
	453	756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	167.00
	454	760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT	N/C
	455	762-998	NO REAR PASSENGER SEAT	N/C
	456	757-998	NO SEAT SKIRT(S)	STD
	457	759-998	NO SEAT ARMREST	STD
	458	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	STD
	459	758-036	VINYL WITH VINYL INSERT DRIVER SEAT	STD
	460	761-036	VINYL WITH VINYL INSERT PASSENGER SEAT	STD

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	461	755-998	NO REAR PASSENGER SEAT COVERS	STD
	462	763-101	BLACK SEAT BELTS	N/C
	463	6TS-998	NO TELEMATICS SYSTEM - WIRING	STD
	464	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	478.00
	465	540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL	STD
	466	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS	STD
0			CONTROLS & INSTRUMENTS	
0	467	870-001	BLACK GAUGE BEZELS	STD
	468	732-004	GRAY DRIVER INSTRUMENT PANEL	STD
	469	734-004	GRAY CENTER INSTRUMENT PANEL	N/C
	470	68J-998	NO SWITCH BLANK - INSTRUMENT PANEL	STD
	471	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM	STD
	472	838-998	NO AIR APPLICATION GAUGE	STD
	473	840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES	STD
	474	198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS	STD
	475	721-998	NO BACKUP ALARM	STD
	476	149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL	STD
	477	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY	STD
	478	157-998	NO REMOTE START	STD
	479	811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED	STD
	480	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH	STD
	481	844-001	2 INCH ELECTRIC FUEL GAUGE	STD
	482	845-998	NO FUEL FLOW GAUGE	STD
	483	148-070	ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE	88.00
	484	163-002	ENGINE REMOTE INTERFACE CONNECTOR AT END OF FRAME	9.00
	485	87L-003	ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS	N/C
	486	33U-998	NO CUSTOMER DEFINED WIRING FUNCTION	STD
	487	866-998	NO AXLE TEMPERATURE GAUGE	STD
	488	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	STD
	489	854-998	NO ENGINE OIL TEMPERATURE GAUGE	STD
	490	864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT	-4.00
	491	867-998	NO OUTSIDE AIR TEMPERATURE GAUGE	STD

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	492	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITH DRIVER DISPLAY	STD
	493	438-998	NO HUBODOMETER	STD
	494	33A-998	NO WARNING LIGHT SWITCHES	STD
	495	372-043	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR OR LAMP - PARK BRAKE AND NEUTRAL INTERLOCK	59.00
	496	736-998	NO OBSTACLE DETECTION SYSTEM	STD
	497	73H-998	NO CAMERA/VIDEO/IMAGING SYSTEM	STD
	498	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL	STD
	499	73B-998	NO LANE DEPARTURE WARNING SYSTEM	STD
	500	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE	STD
	501	679-998	NO OVERHEAD INSTRUMENT PANEL	STD
	502	35M-998	NO WRG-BDY MULTIPLEX EXPNSN UNIT	N/C
	503	786-998	NO POSITIONING/LOCATING SYSTEM	STD
	504	78A-998	NO POSITION/COMMUNICATION ACCESSORY	N/C
	505	1U1-998	NO NAVIGATION SYSTEM	STD
	506	746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	490.00
	507	747-001	DASH MOUNTED RADIO	N/C
	508	74D-998	NO RADIO/SPEAKER WIRING	STD
	509	750-002	(2) RADIO SPEAKERS IN CAB	N/C
	510	753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	47.00
	511	748-998	NO CB RADIO/PROVISION	STD
	512	749-998	NO CB RADIO MOUNTING PROVISION	STD
	513	752-998	NO CB ANTENNA, BRACKET OR LEAD	STD
	514	78C-998	NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA	N/C
	515	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER	STD
	516	817-001	STANDARD VEHICLE SPEED SENSOR	STD
	517	812-001	ELECTRONIC 3000 RPM TACHOMETER	STD
	518	813-998	NO VEHICLE PERFORMANCE MONITOR	N/C
	519	8D1-998	NO DETROIT CONNECT SERVICES SELECTED	N/C
	520	8Z1-998	NO ZONAR SERVICES SELECTED	N/C
	521	80K-998	NO SHUTDOWN OVERRIDE	N/C
	522	80L-998	NO REGEN SYSTEM TAILORING	N/C
	523	80M-998	NO ALTERNATE PTO SPEED	N/C
	524	80N-998	NO REDUCED ENGINE SPEED ON VSS FAILURE	N/C
	525	80P-998	NO FLEET SPEC FOR PARAMETERIZATION	N/C
	526	80Q-998	NO VEHICLE SPEED LIMIT - GHG	N/C
	527	162-011	IDLE LIMITER, ELECTRONIC ENGINE	N/C
	528	885-998	NO CONTROLS-FIRE PUMP	STD
	529	329-017	THREE ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT	87.00
	530	81Y-998	NO PRE TRIP SYSTEM TEST	N/C
	531	44R-998	NO ON/OFF LATCHING SMARTPLEX SWITCH	STD

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO. AP0237

VEH S/N: NX3114

INVOICE DATE..... 05/17/22

0	532	44S-998	NO ON/OFF MOMENTARY SMARTPLEX SWITCH	STD
	533	44T-998	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH	STD
	534	44U-998	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH	STD
	535	44V-998	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	STD
	536	44W-998	NO UNDEFINED INDICATOR LAMPS	STD
	537	264-998	NO CONTROLS-SIREN/AIR HORN	STD
	538	482-001	BW TRACTOR PROTECTION VALVE	N/C
	539	883-001	TRAILER HAND CONTROL BRAKE VALVE	N/C
	540	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY	STD
	541	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY	STD
	542	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH	STD
	543	27D-998	NO ALTERNATING FLASHING HEADLAMP SYSTEM	STD
	544	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR	N/C
	545	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	STD
	546	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS	STD
	547	869-998	NO MISCELLANEOUS GAUGES	STD
0			PAINT	
0	548	065-000	PAINT: ONE SOLID COLOR	STD
	549	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY	N/C
	550	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	STD
	551	98K-998	NO FUEL TANK CABINET PAINT	N/C
	552	962-998	PAINT-FRT WHEEL COLOR: NONE	N/C
	553	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)	STD
	554	96E-998	NO PUSHER/TAG WHEEL PAINT	STD
	555	96F-998	NO SPARE WHEEL PAINT	N/C
	556	964-998	NO BUMPER PAINT	N/C
	557	976-998	NO EXTERIOR SUNVISOR PAINT	STD
	558	963-003	STANDARD E COAT/UNDERCOATING	STD
0			ADDITIONAL SPECIFICATIONS	
0	559	50V-002	PDI INSTALLED ELECTRIC BRAKE CONTROLLER	420.00
	560	998-033	CORPORATE PDI CENTER IN-SERVICE AND OPTION INSTALLATION/MODIFICATION	N/C
	561		INSTAL ELECTRIC BRAKE CONTROLLER 50V	
	562		TALL TRANSFER CASE OIL COOLER FAN AND SHROUD	
	563			

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

0VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO.....AP0237

VEH S/N: NX3114

INVOICE DATE.....05/17/22

0	564	95M-998	NO CUSTOMER FURNISHED MATERIAL SPECIFIED	N/C
	565	958-998	NO INSPECTION-LABOR ONLY	N/C
	566	99B-998	NO MODIFICATION CENTER SHIPPING INSTRUCT IONS	STD
	567	82N-998	NO SHIPPING PROTECTION	STD
	568	999-998	NONE	N/C
	569	996001	U.S. FMVSS CERTIFICATION, EXCEPT SALES C ABS AND GLIDER KITS	N/C
0			TOTAL SUGGESTED RETAIL	\$160,925.00

DAIMLER TRUCK NORTH AMERICA LLC

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO.....AP0237

VEH S/N: NX3114

INVOICE DATE.....05/17/22

 FET-EXEMPT AND FET-CREDIT INFORMATION PROVIDED FOR REFERENCE ONLY
 FET-EXEMPT ELIGIBILITY PER EPA.GOV. FET-CREDIT AMOUNTS PER TIRE MANUFACTURER.
 093-1RJ FET-CREDIT AMOUNT: \$52.83 PER TIRE
 MICHELIN X WORKS Z 315/80R22.5 20 PLY
 RADIAL FRONT TIRES
 094-2EU FET-CREDIT AMOUNT: \$25.23 PER TIRE
 HANKOOK DH06 11R22.5 14 PLY RADIAL
 REAR TIRES
 #####

DAIMLER TRUCK NORTH AMERICA LLC

4555 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALDCXFE3PDNX3114

INVOICE NO.....AP0237

VEH S/N: NX3114

INVOICE DATE.....05/17/22